

SCOTTISH ENVIRONMENT PROTECTION AGENCY
ENVIRONMENTAL PROTECTION ACT 1990 (AS AMENDED)
WASTE MANAGEMENT LICENSING (SCOTLAND) REGULATIONS 2011

CONSOLIDATED WASTE MANAGEMENT LICENCE

Licence No: WML/W/0000233
Consolidation No: CL01
To: Lowmac Alloys Limited
Address: Unit 22
Oldhall West Industrial Estate
Irvine
KA11 5DG

The Scottish Environment Protection Agency, being a waste regulation authority as defined in Section 30 of the Environmental Protection Act 1990 (the Act), in exercise of its powers under Section 40 of the Act, hereby issues a consolidated waste management licence to Lowmac Alloys Limited, Company Registration Number SC052151 (the Licence Holder).

This licence authorises the treatment, keeping or disposal of waste by the Licence Holder in or on the area of land at Unit 22, Oldhall West Industrial Estate, Irvine, KA11 5DG subject to the conditions contained in the attached Schedule(s).

.....*D. J. Wabrohan*.....
Authorised to sign on behalf of the
Scottish Environment Protection Agency

Date: 1 February 2013

LICENCE CONDITIONS - LOWMAC ALLOYS LTD

Contents

Section 1: General Considerations

1.1	Licensed Area	3
1.2	Working Plan	3
1.3	Site Operation	3
1.4	Waste Types and Quantities.....	3
1.5	Hours of Operation	4
1.6	Reporting of Relevant Offences	4
1.7	Manning and Management	4
1.8	Technical Competence	4
1.9	Cessation of Operations.....	5
1.10	Emergency Procedures	5
1.11	Compliance with Licence Conditions	5
1.12	Financial Provision	5

Section 2: Site Infrastructure

2.1	Noticeboards and Signs	6
2.2	Site Security	7
2.3	Site Access and Roads	7
2.4	Services	7
2.5	Emergency Storage	7
2.6	Fuel Tank(s)	7
2.7	Parking	8
2.8	Lighting	8
2.9	Construction of Impermeable Surfaces	8

Section 3: Site Preparation

3.1	General	9
-----	---------------	---

Section 4: Waste Reception

4.1	Recording of Loads	10
4.2	Inspection of Loads	10
4.3	Unauthorised Waste	10
4.4	Site Capacity	10
4.5	Reception of Motor Vehicles	10
4.6	Storage of Motor Vehicles	10
4.7	Storage of Lead Acid Batteries	11
4.8	Storage of Gas Bottles	11
4.9	Storage of Biodegradable Waste	11
4.10	Storage of Asbestos	11
4.11	Storage of Hazardous Waste	11

Section 5: Site Operation

5.1	Site Control	12
-----	--------------------	----

Section 6: Pollution Control

6.1	Burning	13
6.2	Pest Control	13
6.3	Dust	13
6.4	Water	13
6.5	Mud	13
6.6	Litter	13
6.7	Odour	14
6.8	Noise.....	14

Section 7: Site Completion

7.1	Management and Aftercare Plan	15
-----	-------------------------------------	----

Section 8:	Environmental Monitoring and Data Requirements	16
-------------------	---	-----------

Section 9: Records

9.1	Waste Intake	17
9.2	Diary	17

Appendix A	Site Location Plan	18
------------	--------------------------	----

Section 1 General Considerations

Licensed Area

- 1.1 This licence authorises the keeping, treatment and transfer of waste on land located at Grid Reference NGR 337 368, the site boundaries of which are shown on the layout plan attached in Appendix A to this licence.

Working Plan

- 1.2 a) The Working Plan shall comprise:
- i) Detailed drawings and descriptions of the engineering development of the site and the site infrastructure.
 - ii) Detailed descriptions of the way activities are to be carried out and shall have been prepared in accordance with the provisions of paragraph 2.14 of Waste Management Paper No 4 - "Licensing of Waste Management Facilities" and paragraphs 3.64 and 3.85 of Waste Management Paper No. 4A - 'Licensing of Metal Recycling Sites'.
- b) The site shall be operated in the manner described in the Working Plan.
- c) If any proposals in the Working Plan conflict or are inconsistent with any of the licence conditions, then the licence conditions shall prevail.
- d) Written notification shall be submitted to SEPA of any proposed change in the Working Plan. Any such proposed change shall not be implemented without the written consent of SEPA.

Site Operation

- 1.3 Notification shall be made in writing to SEPA of any proposed change in the actual conduct of operations from the proposals shown in the Working Plan at least 4 weeks prior to the proposed changes being implemented. Except in an emergency, any such change shall not be implemented without prior written consent from SEPA.

Waste Types and Quantities

- 1.4 a) The licence is granted for the keeping, treatment and transfer of the following waste types and quantities:

Waste Description	Maximum tonnes/day	Maximum tonnes/year
Electrical Equipment	10	500
Ferrous metals, Non-ferrous metals	10	12,000
Motor Vehicle and Motor Vehicle components	10	12,500
Other household, commercial and industrial waste	300	100,000

- b) The licence is also granted for the keeping and transfer of the following waste types and quantities:

Waste Description	Maximum tonnes/day	Maximum tonnes/year
Hazardous Waste of the types listed in the working plan	<10	2500

- c) Notwithstanding the generality of wastes permitted by this licence, the following wastes are specifically excluded -
- i) clinical waste as defined in the Controlled Waste Regulations 1992 (as amended).
 - ii) sludges and slurries.
 - iii) waste arising from the manufacture, processing or preparation of food.

Hours of Operation

- 1.5 a) The facility shall not receive or handle waste outwith the following permitted hours -

Weekdays	0700 hours - 1830 hours
Saturday	0700 hours - 1830 hours
Sunday	0700 hours - 1830 hours

- b) Should there be a wish to work outside the normal working hours stipulated above on any one given occasion, a written request shall be submitted to SEPA, and written approval obtained prior to operating any such extended hours.

Reporting of Relevant Offences

- 1.6 In the event that the licence holder is convicted of a relevant offence as set out in Regulation 3 of the Waste Management Licensing Regulations 1994, as amended, SEPA shall be notified immediately. Any alteration to this information shall be notified to SEPA within 24 hours.

Manning and Management

- 1.7 a) The site shall have a minimum of 2 operatives present at all times during operational hours. All operatives shall be trained to a level pertinent to their post, in all relevant operations of the plant and equipment at the site and true and accurate records shall be kept of said training.
- b) The terms of this licence shall be known by any person given responsibility for the management or control of the site and a copy of the licence and the approved Working Plan shall be displayed within the site office.

Technical Competence

- 1.8 a) The person(s) having day to day control of the site shall possess the relevant Certificate of Technical Competence (COTC) for the facility as issued by the Waste Management Industry Training and Advisory Board (WAMITAB).

- b) The name of the person(s) having day to day control shall be submitted to SEPA and details included in the Working Plan.

Cessation of Operations

- 1.9 a) Notice shall be given to SEPA of the designated date whereupon no further wastes will be accepted at the site on a permanent basis. Said notification shall be in writing at least 48 hours prior to the designated date.
- b) At least 48 hours notice shall be given to SEPA and it shall be confirmed in writing by first-class post as soon as reasonably practicable before either of the following take place:-
 - i) Temporary cessation of any or all operations on the site for a period exceeding 96 hours, including information of alternative waste management arrangements.
 - ii) Resumption of operations after a temporary cessation.

Emergency Procedures

- 1.10 a) Staff on site shall be aware of all emergency procedures referred to in this licence and the Working Plan.
- b) A record of the name, address and telephone number of the person to be contacted in the event of an emergency at the site, shall be confirmed in writing to SEPA within 2 weeks of receiving this licence.
- c) Any alteration to this information shall be notified to the said Agency within 24 hours of such and confirmed in writing by first-class post on the next working day after the alteration.
- d) A procedure for dealing with outbreaks of fire, chemical spillages and other foreseeable incidents shall be drawn up in consultation with the Fire Service. The procedure shall be included in the Working Plan and reviewed accordingly.
- e) Supplies of absorbent material and suitable equipment shall be maintained on site, and used immediately, as any spillage occurs. Site staff shall be instructed in procedures for dealing with spillages.

Compliance with Licence Conditions

- 1.11 a) Unless otherwise specified below, the conditions attached to this licence shall be complied with from the date of this licence.
- b) Within 3 months of the date of this licence the licence holder shall submit to SEPA a revised working plan which takes account of all conditions and requirements of this licence.

Financial Provision

- 1.12 The Licence holder shall maintain a financial provision adequate to discharge the obligations arising from this Licence, which shall be subject to agreement with SEPA.

Section 2 Site Infrastructure

Noticeboards and Signs

- 2.1 a) A site identification board of durable material and finish shall be prominently displayed at the site entrance. The board shall give the following information:-
- i) The name of the site.
 - ii) The site licence number.
 - iii) The name, address and telephone number of the licence holder.
 - iv) The name, address and telephone number of the local SEPA office.
 - v) The hours of operation of the site.
- b) The site identification board shall be maintained in a legible condition at all times.
- c) In the event that operations are to cease permanently at the site, a notice board shall be erected at the site entrance at least 14 days before closure showing the following information -
- the words "This site will be closed from (date of closure)";
 - the name, address and telephone number of the licence holder;
 - the address and telephone number of SEPA;
 - and a statement advising people to phone SEPA to obtain the location of alternative facilities
- d) The identification board regarding the closure shall be maintained in a legible condition for 6 months after the date of closure.
- e) Suitable and sufficient :-
- i) Direction Signs
 - ii) Instruction Signs
 - iii) Information Signs and
 - iv) Safety Signs
- of durable material and finish shall be prominently displayed throughout the site and shall be maintained in a legible condition at all times to ensure that
- v) Drivers of vehicles are aware of traffic routing, access restrictions etc. and
 - vi) Users of the site are aware of the location of the various facilities and
 - vii) Users of the site are aware of all areas of high risk.

Site Security

- 2.2 a) A site office shall be provided for personnel engaged in overseeing the reception of waste and for the maintenance of records, and shall be maintained in a wind and watertight condition. The site office shall be provided with an operational telephone or other means of providing immediate and effective contact with the emergency services and SEPA. The office shall be manned during operational hours so that all traffic movements to and from the facility and incoming waste can be properly monitored. All visitors must report to the site control office before entering the operational area and a visitors book shall record their details.
- b) Security gates and perimeter fencing shall be maintained and managed in a condition such that they prevent unauthorised access to the site. Gates and fencing shall be constructed to the standard outlined in the Working Plan and shall be maintained to that standard.

Site Access and Roads

- 2.3 a) Access and site roads shall be maintained to the standard outlined in the Working Plan. All roads shall be maintained free from potholes and standing water whilst the site is operational. Site roads shall be adequate in both width and bearing capacity for all vehicles that may be required to visit the site.
- b) The entrance shall incorporate a suitable control to prevent unauthorised access.
- c) All yard surfaces shall be maintained in a condition such that they remain free of debris, ruts, potholes and prevent the ponding of surface water.

Services

- 2.4 a) The site shall be provided with electrical power, water and lighting in order that the site can be operated in accordance with the requirements of this licence and the approved Working Plan.
- b) The site shall be provided with suitable and sufficient drainage to prevent the ponding of surface water.

Emergency Storage

- 2.5 A suitable emergency storage area shall be provided for holding materials that have been received and do not conform with the site licence conditions. Where liquids are stored, this area shall be bunded. A stock control record board shall be provided and shall be used to identify all materials held in the emergency storage area. This area shall be identified in the Working Plan.

Fuel Tank(s)

- 2.6 a) All vessels used for the storage of waste liquids, fuels and/or lubricants shall be located in a bunded area(s) having a minimum capacity of 110% of the largest container, or 25% of the total volume of liquid if multiple storage of smaller containers, whichever is the greater.

- b) The bunded area(s) and tanks shall conform to the following specification:
 - i) The walls and base of the bund shall be constructed so as to be impermeable.
 - ii) The base shall be laid to a fall draining to a sump.
 - iii) Every part of the container shall be located within the bund including the taps, valves and pipes.
 - iv) All bulk storage tanks shall comply with the requirements of BS 799 as appropriate.
 - v) No part of the storage shall be within 10 metres of a watercourse.
- c) Contaminated water and/or spillage from the bunded areas shall be removed from the facility when the vacant capacity of the bund is less than 100% of the volume of the largest container, and shall be transported to a facility specifically licensed or authorised to accept same. Such operations shall be carried out in such a manner as to prevent pollution of groundwater.

Parking

- 2.7 Spaces shall be provided for staff and visitor car parking, in accordance with the Working Plan.

Lighting

- 2.8 No operations relating to this licence shall take place on any part of the site unless adequate lighting is provided and used during the hours of darkness, i.e. statutory lighting-up times. The standard of lighting provision shall be detailed on the Working Plan.

Construction of Impermeable Surfaces

- 2.9 Prior to the construction of any impermeable surface and associated drainage system the licence holder shall submit relevant details and plans to SEPA for approval.

Section 3 Site Preparation

General

- 3.1 All preparatory and engineering works specified in the Working Plan shall be constructed or installed in accordance with the specifications laid out in the Working Plan. Any variation or changes to these works must be agreed and authorised in writing by SEPA. The Working Plan shall specify:
- i) The specifications of materials and equipment;
 - ii) The details of construction, emplacement or installation;
 - iii) The quality assurance measures applied.

Section 4 Waste Reception

Recording of Loads

- 4.1 Any vehicles delivering waste to the site shall be weighed and all relevant details (as per condition 9.1) recorded prior to the waste being deposited.

Inspection of Loads

- 4.2 The licence holder shall be responsible for monitoring the waste accepted at the facility to ensure that it conforms to the waste types permitted by this licence. All incoming waste materials shall be examined visually at the site office so far as is reasonably practicable and immediately following deposit. Any waste materials which do not conform to those categories and types of waste permitted by this licence shall be dealt with in accordance with condition 4.3

Unauthorised Waste

- 4.3 a) If material not authorised by this licence is brought to or is found on the site it shall be removed immediately to a pre-designated location within the site remote from the deposit area as designated in the Working Plan and arrangements made to remove the waste from the site. In every such case a record of the incident shall be recorded in the site diary before the end of that working day. Where any such waste is suspected of being special waste, SEPA shall be informed immediately by telephone and notice of the occurrence confirmed in writing within two working days.
- b) Any unauthorised waste must be removed from the site within 5 working days of its original deposit. Copies of duty of care transfer notes covering the removal of the unauthorised waste will be submitted to SEPA within 5 working days of the unauthorised waste being removed from the site.

Site Capacity

- 4.4 Wastes shall not be accepted onto the site unless there is sufficient capacity for their safe and secure storage.

Reception of Motor Vehicles

- 4.5 All motor vehicles received at the site shall immediately be placed on an impermeable surface constructed to the standard specified in accordance with condition 2.9, unless specifically described as being drained of all fluids. The location of impermeable surfaces shall be shown in the Working Plan.

Storage of Motor Vehicles

- 4.6 Motor vehicles from which all fluids, or components containing fluids have been removed shall be stored on a hardstanding surface of crushed stone or similar. Vehicles shall be stored in a manner that permits inspection and access. Vehicle components containing liquids shall be similarly stored in such a manner so as to prevent spillage or escape of liquids onto adjacent ground.

Storage of Lead Acid Batteries

- 4.7 Lead acid batteries shall be removed from vehicles on arrival at the site and stored in an impermeable bunded storage area whilst awaiting removal from the site. Batteries shall be removed periodically before the maximum storage capacity shown in the Working Plan is reached.

Storage of Gas Bottles

- 4.8 Upon arrival at the site, waste pressurised gas bottles shall be stored in a designated area whilst awaiting removal from the site. The designated area shall be identified in the Working Plan.

Storage of Biodegradable Waste

- 4.9 a) No biodegradable waste shall be kept on the site for more than 10 days.
- b) No mixed biodegradable waste shall be stored on the ground unless in a purpose built bay with an impermeable pavement and sealed drainage system to collect run off to the satisfaction of SEPA.

Storage of Asbestos

- 4.10 Asbestos waste shall be stored in a secure lockable container. The container shall be kept locked at all times other than when asbestos is being deposited in the container.

Storage of Hazardous Waste

- 4.11 a) All hazardous waste received on site shall be inspected, handled, stored, and recorded in accordance with the current working plan
- b) Containers of liquid waste shall be kept closed at all times
- c) The contents of each hazardous waste storage bay shall be inspected weekly to detect leakages or damage to drums and other containers.
- d) Supplies of absorbent material and suitable equipment shall be maintained on site, and used immediately should any spill or leak occur.
- e) All hazardous waste shall be stored for no longer than 90 days and all storage bays shall be completely emptied and inspected every 6 months.
- f) No hazardous waste shall be mixed or treated on site.
- g) All hazardous waste containers must be clearly labelled, identifying different types of content.
- h) Hazardous storage bays shall be clearly labelled in accordance with the working plan.

Section 5 Site Operations

Site Control

- 5.1 a) The site shall be inspected daily by the licence holder for defects in any plant, equipment or structure or in any working practice that may lead to non-compliance with the licence conditions. Steps shall be taken as are necessary to rectify any such defect forthwith.
- b) The licence holder shall provide and maintain mechanical plant/equipment to enable waste received under this licence to be dealt with in accordance with the licence conditions. All equipment used for storing, handling or transferring waste materials shall be maintained in good working order. Should the equipment, for any reason, become unserviceable or inoperable, its replacement, repair or arrangement for its repair shall be made forthwith.

Section 6 Pollution Control

Burning

- 6.1 a) No burning of waste or other materials shall take place on the site and the occurrence of a fire shall be regarded as an emergency and immediate action shall be taken to extinguish it or notify the emergency services as appropriate.
- b) All outbreaks of fire shall be reported to SEPA forthwith, and in any case shall be confirmed in writing within 3 days of the fire.

Pest Control

- 6.2 a) The operation of the site shall be carried out in such a manner to minimise the risk of pest infestation. Where any pest infestation is identified a treatment programme shall be undertaken.
- b) The entire facility shall be inspected on a weekly basis and effective correction action initiated to eradicate infestation by insects, vermin or other pests whether terrestrial or aerial. A legible copy of a written report on such remedial actions shall be kept at the site control office within 14 days of the action.

Dust

- 6.3 a) Dust from or associated with any operation within the site shall not exceed a deposition rate of 200mg/m^2 per day measured at any point out with the site boundary.
- b) The site roads shall in dry weather or whenever necessary be sprayed with water or otherwise treated to prevent or suppress airborne dust.

Water

- 6.4 In the event of any contaminants from the site entering or threatening to enter a watercourse or land outwith the site boundary, SEPA shall be informed forthwith and thereafter confirmed in writing by first-class post on the next working day after its identification. Immediate action shall be taken to terminate such a discharge followed by any such other remedial action as may be necessary, as required by SEPA.

Mud

- 6.5 No vehicle shall leave the site in such a condition that mud and/or debris is likely to be deposited on the public road from that vehicle.

Litter

- 6.6 The boundaries and environs of the site shall be inspected on at least a daily basis for the presence of litter or any other waste materials resulting from the site operations, and shall be removed throughout the day as required and in any event no later than the end of each working day.

Odour

- 6.7 All site operations shall be conducted in such a manner as to ensure that they do not give rise to offensive odours, as perceived by any authorised person(s) of SEPA at any point beyond the site boundary.

Noise

- 6.8 The operation of the site shall be carried out in such a manner as to ensure the noise from such operations when assessed in accordance with BS4142:1992, and any such amendment to such, shall not be determined as indicating that complaints are likely.

Section 7 Site Completion

Management and Aftercare Plan

- 7.1 A post closure management and aftercare plan shall be submitted to SEPA three months prior to completion of waste handling activities. The site shall thereafter be maintained in full accordance with the plan or as otherwise determined by SEPA.

Section 8.0 Environmental Monitoring and Data Requirements

Unless otherwise specified or agreed in writing the environmental monitoring programme shall follow the regime specified below
 Unless otherwise stated the data specified below is required in all phases from the site preparation phase to completion phase

SOURCE/DATA	REF.	DETERMINAND	FREQUENCY/PERIOD	RESULTS REPORTED TO SEPA BY
Site/Waste data	1.01	Total Waste Import and /or Export	January - March April - June July - September October - December	28 th April in following quarter 28 th July in following quarter 28 th October in following quarter 28 th January in following quarter
	1.02	Proposed revisions to site working plan	Annually in December	28 th January in succeeding year

SECTION 9 - RECORDS

Waste Intake

9.1 The record shall be maintained in the site office of the wastes brought into the site. This record shall be made available for inspection on request by officers of SEPA during operating hours. Information to be recorded shall include:-

- i) Vehicle registration and waste carriers registration number (or reason for being exempt)
- ii) Date and time of waste consignment
- iii) Source of waste arising
- iv) Quantity of waste in tonnes
- v) Description of waste

Diary

9.2 A diary shall be kept and shall be made available to officers of SEPA on request. The diary shall be used to record any comments made by any officer of SEPA, any defects noted by the site supervisor, any instructions given to staff concerning steps taken to secure compliance with this licence and other relevant details including: plant maintenance and breakdown; emergencies; problems with materials received and actions taken; sampling exercises; site inspections, their findings and the remedial responses; dispatch of records to SEPA; environmental problems and remedial actions.



EXPLANATORY NOTES

(These explanatory notes do not form part of the licence)

1) Grant of Licence

This licence is granted in accordance with the provisions of Section 35 and 36 of the Environmental Protection Act 1990.

2) Modification of Licence

Licence conditions may only be modified in accordance with Section 37 of the Environmental Protection Act 1990. The working plan may be modified in accordance with the relevant conditions of the licence.

3) Suspension of Licence

SEPA may suspend or partially suspend a licence in accordance with the provisions of Sections 38 and 42 (5) and (6) of the Environmental Protection Act 1990 and Section 41(6) of the Environment Act 1995.

4) Revocation of Licence

A licence may be revoked or partially revoked in accordance with the provisions of Sections 38, and 42(5) and (6) of the Environmental Protection Act 1990 and Section 41(6) of the Environment Act 1995.

5) Surrender of Licence

A licence may only be surrendered in accordance with the provisions of Section 39 of the Environmental Protection Act 1990.

A licence shall remain in effect, subject to any modification, revocation or transfer issued by SEPA until such time as the licensed activity has ceased, an application for surrender of licence has been made by the licence holder and the certificate of completion has been issued by SEPA.

6) Transfer of Licence

A licence may only be transferred in accordance with the provisions of Section 40 Environmental Protection Act 1990.

7) General Statutory Requirements

A licence does not detract from any other statutory requirements applicable to the licence holder or his operations, such as any need to obtain planning permission or building regulations approval or any responsibilities under legislation for health, safety and welfare in the workplace.

8) Subsistence Charges

An annual subsistence charge will be payable in respect of the licence under Section 41 of the Environment Act 1995.

9) **Offences**

Under Section 33(6) of the Environmental Protection Act 1990, a person who contravenes any condition of a waste management licence commits an offence.

A person who commits an offence under Section 33(6) may be liable to imprisonment and/or to a fine.

10) **Address and Telephone Numbers**

The contact address and telephone number for all information to be reported in terms of the licence, is as follows: -

Scottish Environment Protection Agency
31 Miller Road
Ayr
KA7 2AX

Tel No: 0800 80 70 60 and/or 01292 294000
Fax No: 01292 611130

11) **Schedule to the End-of-Life Vehicles (Storage and Treatment) (Scotland) Regulations 2003**

For information only, Parts 1 and 2 of the above schedule are given below. The Regulations and the Schedule may be subject to amendment by the Scottish Parliament and the Schedule is only accurate as at 28 April 2004.

PART ONE

**OBLIGATIONS IN RESPECT OF KEEPING OR TREATMENT
OF WASTE MOTOR VEHICLES**

1. No waste motor vehicle shall be kept (even temporarily) unless such keeping-

- (a) is carried out in accordance with the general requirements laid down in article 4 of the Waste Directive (Council Directive 75/442/EEC); and
- (b) complies with the minimum technical requirements set out in Part 2 below.

2. No waste motor vehicle shall be treated unless, in respect of the activity or operation performed, that treatment-

- (a) is carried out in accordance with the general requirements laid down in Article 4 of the Waste Directive; and
- (b) complies with the minimum technical requirements set out in Part 2 below and, where applicable, meets the following obligations-
 - (i) save where it has already been so treated-
 - (aa) the waste motor vehicle shall first be stripped in a way that best reduces any adverse impact on the environment, before any further treatment or other equivalent arrangement is undertaken, and

- (bb) any of its components or materials which have been labelled or otherwise made identifiable in accordance with regulation 18(2) of the End-of-Life Vehicles Regulations 2003 shall be stripped before any further treatment;
- (ii) save where it has already been so treated in whole or part, and subject to paragraph (i), depollution of the waste motor vehicle shall be completed as soon as possible;
- (iii) hazardous materials and components shall be removed from the waste motor vehicle and segregated in such a way so as not to contaminate any part of the vehicle that is subsequently to be shredded; and
- (iv) any stripping or keeping of the waste motor vehicle shall be carried out in such a way as to ensure the suitability of its components for either reuse or recovery, and in particular recycling.

PART 2

MINIMUM TECHNICAL REQUIREMENTS FOR THE KEEPING AND TREATMENT OF WASTE MOTOR VEHICLES

1. The keeping (even temporarily) of a waste motor vehicle prior to treatment shall only be carried out at a site-

- (a) having, in appropriate areas, impermeable surfaces and provided with spillage collection facilities, decanters and cleanser degreasers, and
- (b) provided with equipment for the treatment of water (including rainwater) in compliance with all applicable legislation concerning health and environmental matters.

2. The treatment of a waste motor vehicle shall only be carried out at a site-

- (a) having, in appropriate areas, impermeable surfaces and provided with spillage collection facilities, decanters and cleanser degreasers;
- (b) provided with storage facilities that are appropriate for dismantled spare parts, including impermeable storage facilities for spare parts that are contaminated with oil;
- (c) provided with containers that are appropriate for the storage of batteries (whether electrolyte neutralisation is carried out on-site or elsewhere), filters, and condensers containing PCB (Polychlorinated Biphenyls) or PCT (Polychlorinated Terphenyls) or both;
- (d) provided with storage tanks that are appropriate for the separate segregated storage of any fluid from a waste motor vehicle;
- (e) provided with equipment for the treatment of water (including rainwater) in compliance with all applicable legislation concerning health and environmental matters; and
- (f) at which there is appropriate storage for used tyres without excessive stockpiling, and minimising any risk of fire.

3. Treatment operations for the depollution of a waste motor vehicle shall consist of-

- (a) the removal of the battery or batteries;
- (b) the removal of the liquefied gas tank;
- (c) the removal of neutralisation of all potentially explosive components (including air bags);
- (d) the removal and separate collection and storage of all-
 - (i) fuel;
 - (ii) motor oil;
 - (iii) transmission oil;
 - (iv) gearbox oil;
 - (v) hydraulic oil;
 - (vi) cooling liquids;
 - (vii) antifreeze;
 - (viii) brake fluids; and
 - (ix) air-conditioning system fluids

and any other fluid contained in the said vehicle, but excluding any fluid which is necessarily retained for the re-use of the part concerned;

- (e) the removal, so far as is feasible, of all components identified as containing mercury.

4. In order to promote its subsequent recycling, where an article or material listed below is first present in a waste motor vehicle, no treatment of that vehicle shall prevent the removal-

- (a) of the catalyst or catalysts;
- (b) (either during shredding or otherwise) of all metal components containing one or more of copper, aluminium and magnesium;
- (c) (either during shredding or otherwise) of tyres;
- (d) (either during shredding or otherwise) of all large plastic components (including bumpers, the dashboard, and any fluid container) in such a way that they can be effectively recycled as materials;
- (e) of glass,

and where any such article or material is removed it shall be done in such a way as best promotes its recycling.

5. Any keeping operations shall be carried out in such a manner as avoids damage-

- (a) any component containing a fluid or fluids;
- (b) any recoverable component;
- (c) any spare part.

